

Manufacturer of Specialty Chemicals

Safety Data Sheet

Section 1. Identification

Product Identifier	Ethylene Glycol	Version: 6
		Effective Date: 25 January 2021
Other Means Of	1,2 ethylene diol	
Identification		
Initial Supplier	Chemfax Products Ltd.	
Identifier	11444 – 42 Street SE	
	Calgary, AB T2C 5C4	
	Tel: 403-287-2055	
Recommended Use	Heat transfer fluid. No restrictions.	
and Restrictions		
On Use		
Product Family	Diol	
Emergency Phone 1	-855-887-2055 Monday - Friday 8:00am - 4:	30pm MST

Section 2. Hazard Identification		
Hazard Classification Health Hazards		
	Acute Toxicity (Oral) - Category 4	
	Specific Target Organ Toxicity (Repeated Exposure) - Category 2	
Signal Word	Warning	
Hazard Statement	Harmful if swallowed. May cause damage to organs (kidney) through prolonged or repeated exposure.	
Precautionary Prevention Statement	Wash hands thoroughly after handling. Do not eat, drink, or smoke when using this product. Do not inhale dust, fume, gas, mist, vapours, or spray.	
Precautionary Response Statement	IF SWALLOWED: Seek medical attention immediately. Rinse mouth.	
Precautionary Storage Statement	No statement.	
Precautionary Disposal Statement	Dispose of contents/container in accordance with local regulations.	
Other Hazards	None	



Safety Data Sheet

Section 3. Composition / Information on Ingredients			
Chemical Name	Common Name or Synonyms	CAS NO. and Other Unique	% by weight
		Identifiers	
Ethylene Glycol	1,2 ethylene diol	107-21-1	100

Section 4. First-Aid Meas	ures		
Eye Contact	Flush eyes with water for 15 minutes. Seek medical attention.		
Skin Contact	Flush area with water. If irritation persists seek medical attention.		
	Launder clothing before reuse.		
Inhalation	Remove victim to fresh air. If there is difficulty breathing, seek		
	immediate medical attention.		
Ingestion	Give two glasses of water. Do not induce vomiting. Lay victim on left		
	side to prevent aspiration of any vomit. Seek immediate medical attention.		
Most Important	Breathing difficulties.		
Symptoms and Effects			
Both Acute and Delayed			
Immediate Medical	Effects of ethylene glycol poisoning appear in three stages. Initial		
Attention and Special	stages in the first $6 - 12$ hours is characterised by central nervous		
Treatment	system effects (transient exhilaration, nausea, vomiting and potentially		
	coma, convulsions and death). The second stage lasts from $12 - 36$		
	hours after exposure and is initiated by the onset of coma. It is		
	characterised by tachypnea (laboured respiration), tachycardia (rapid		
	heartbeat), hypotension (low blood pressure), cyanosis (blue		
	discolouration of skin, nail beds, and mucous membranes due to lack		
	of oxygen) and in severe cases pulmonary oedema, bronchopneumonia, cardiac enlargement and congestive heart failure.		
	The final stage occurs at $24 - 72$ hours post exposure and is		
	characterised by renal failure, from mild symptoms to complete anuria		
	(failure of the kidneys to produce urine) with acute tubular necrosis		
	that can lead to death. Hyperoxaluria (presence of excess oxalic acid		
	or oxalates in the urine) is found in most cases. Ethylene glycol		
	poisoning will always cause metabolic acidosis (blood pH becomes		
	lower than 7.5).		
	Treatment is required within the first three hours of exposure. High proof whisky can be administered prior to hospitalization if treatment		
	is delayed. Haemodialysis is the most effective means of removing		
	ethylene glycol and its metabolites form the body.		



Safety Data Sheet

Section 5. Fire-Fighting Measures				
Suitable and Unsuitable	Carbon dioxide, dry chemical, and water spray.			
Extinguishing Media				
Hazardous Combustion	Alcohols, aldehydes, carbon dioxide and carbon monoxide, ethers,			
Products	and toxic fumes.			
Specific Hazards Arising	Thermal decomposition can lead to release of irritating gases and			
From the Product	vapours. Keep product and empty container away from heat and			
	sources of ignition.			
Special Protective	Fire-fighters should wear self-contained breathing apparatus and full			
Equipment and	protective clothing. Use water spray to cool containers and structures			
Precautions For Fire-	exposed to fire.			
Fighters				

Section 6. Accidental Release Measures			
Personal Precautions,	Gloves (neoprene), safety glasses, coveralls.		
Protective Equipment and	Ensure adequate ventilation. Do not inhale vapours or spray mist.		
Emergency Procedures	Avoid contact with skin, eyes and clothing.		
Environmental	Prevent entry of spilled materials into sewers or watercourses. Dike if		
Precautions	required.		
Methods and Materials for	Wear full protective equipment. Dike area and collect spilled material		
Containment and Clean	by pumping into holding vessel or by soaking up on absorbent material,		
Up	then shovelling into an appropriate container for disposal. Area will be		
	slippery with residues, wash area with water.		

Section 7. Handling and Storage				
Precautions For Safe	Handle with care. Do not eat or drink near this product, employ good			
Handling	housekeeping practices. Empty containers will contain residues, these should not be cut or welded, vapours mixed with air can form explosive mixtures.			
Conditions For Safe	Store in a cool dry place. Keep containers closed at all times.			
Storage				

Section 8. Exposure Controls and Personal Protection				
Control Parameters	TWA: 8 Hr	STEL: 15 min	Ceiling	IDLH *
Ethylene Glycol		50 ppm (NIOSH)		



Safety Data Sheet 50 ppm (CAD AB OEL)

V		
50 ppm (CAD AB OEL)		
* Immediately Dangerous to Life and Health		
Local exhaust ventilation		
Ensure adequate ventilation, especially in confined areas. Ensure that		
eyewash stations and safety showers are close to the workstation		
location.		
If exposure limits are exceeded:		
Safety glasses		
Wear gloves (neoprene) and chemical resistant coveralls		
An air purifying respirator, fitted with cartridges for organic vapours		
must be worn.		

Section 9. Physical and Chemical Properties			
Appearance	Clear, colourless liquid		
Odour	Mild		
Odour Threshold	0.08 – 25 ppm		
pH	8.0		
Flash Point	116 – 121 °C		
Boiling Point and Boiling Range	197 °C		
Melting Point and Freezing Point	– 13 °C		
Evaporation Rate	No data.		
Vapour Pressure	0.01 kPa @ 25 °C		
Vapour Density	2.1		
Relative Density	1.116		
Solubility	Completely miscible in water		
Partition co-efficient, n-	No data		
Octanol/Water			
Auto-ignition Temperature	398 – 417 °C		
Decomposition Temperature	No data		
Viscosity	No data		

Section 10. Stability and Reactivity		
Reactivity	Stable	
Chemical Stability	Stable	
Possibility of Hazardous	Will not occur	
Reactions		
Conditions to Avoid	Naked flames	
Incompatible Materials	Alkali metals, strong acids, strong alkalis and strong oxidizing agents	



Hazardous Decomposition Glycolic acid Products

Section 11. Toxicological Info	ormation			
Component Toxicity	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Ethylene Glycol	6.14 g/kg(Rat)	9.53 g/kg (Rabbit)		
Likely Routes of Exposure				
Skin:		6	edness. Product will be	
_	absorb through the skin and can cause health effects.			
Eyes:	May cause irritation and redness. Inhalation of larger quantities of this material will be harmful.			
Inhalation:	•	-		
	-	piratory tract, digestive the		
	U	noea, faintness, light-hea (causes blue colouration	e e	
		in the lungs), convulsion		
Ingestion:	-	oduct may lead to kidney		
		tract disturbances, vomit		
	kidney failure and l			
Acute Toxicity Estimates	No data			
(ATE)				
STOT (Specific Target	Central nervous sys	stem (CNS)		
Organ Toxicity) – Single				
Exposure				
Aspiration Toxicity	Not classified			
STOT (Specific Target	Kidney and Liver			
Organ Toxicity) – Repeated				
Exposure				
Skin Corrosion / Irritation	Irritant			
Serious Eye Damage /	Irritant			
Irritation				
Respiratory or Skin	Not classified			
Sensitization	Not listo d			
Carcinogenicity Dependenting Travisity	Not listed.			
Reproductive Toxicity - Sexual Function and	Not classified			
- Sexual Function and Fertility	1101 018511100			
- Development of	Not classified			
Offspring				
- Effects on or via	Not classified			
Lactation	1 tot olussillou			
Germ Cell Mutagenicity	Not classified			
Sermi Sen mangementy	. lot of abbilited			



Interactive Effects	Not classified	
Other Information	Not applicable	
Section 12 Ecological Int		

Section 12. Ecological Information

Ecotoxicity	Ethylene glycol LC50: 51,000 mg/L (Flathead minnow) LC50:	
	27,549 mg/L (Bluegill) LC50: 18,000 – 46,000 mg/L (Rainbow trout)	
Persistence and	Readily degradable	
Degradability		
Bioacumulative Potential	Not likely	
Biodegradability	Is biodegradable	
Mobility in Soil	Not available	
Special Remarks	BOD: 8 to 82 % @ 5days; 58 to 75% @ 10 days: 81 to 94 % @ 20	
	days COD: 1.29 mg/mg.	
Other Adverse Effects	None known	

Section 13. Disposal Considerations Disposal Considerations Dispose of contents/container in accordance with local regulations.

Section 14. Transport Information	
UN Number	Not applicable
UN Proper Shipping Name	Not applicable
Transport Hazard	Not applicable
Class(es)	
Packaging Group	Not applicable
Environmental Hazards	Not applicable
Bulk Transport	Not applicable
Special Precaution	Not applicable
DOT Erg#	Not applicable

Section 15. Regulatory Information		
Canada – DSL Inventory	All components of this product are either on the Domestic Substances	
	List (DSL), Non-Domestic Substances List (NDSL), or exempt	
TSCA	All components of this product are either on the Toxic Substances	
	Control Act (TSCA) Inventory List or exempt	
Additional Information	None	



Safety Data Sheet

Section 16. Other Information	
NFPA Rating	Health-2/ Flammability-0/Reactivity-0/Special Hazard-Not applicable
HMIS Rating	Health-2/Flammability-0/Reactivity-0/Personal Protection-See Section 8.
Prepared by:	Chemfax Products Ltd., Technical Department
Date Prepared:	18 August, 2011
Date of Latest Provision: 25 January 2021	
Disclaimer	
Notice to reader	
named supplier no completeness of the the sole responsibi	nowledge, the information contained herein is accurate. However, neither the above or any of its subsidiaries assumes any liability whatsoever for the accuracy or e information contained herein. Final determination of suitability of any material is lity of the user. All materials may present unknown hazards and should be used hough certain hazards are described herein, we cannot guarantee that these are the xist.

Chemfax Products Ltd. expressly disclaims all expressed or implied warranties of merchantability and fitness for a particular purpose with respect to the product provided.