

Section 1. Identification

Product Identifier	Tetrahydrofuran	Version: 6
		Effective Date: 25 January 2021
Other Means Of	THF	
Identification		
Initial Supplier	Chemfax Products Ltd.	
Identifier	11444 – 42 Street SE	
	Calgary, AB T2C 5C4	
	Tel: 403-287-2055	
Recommended Use	Industrial solvent. No restrictions	
and Restrictions		
On Use		
Product Family	Ether	
Emergency Phone 1	-855-887-2055 Monday - Friday 8:00am - 4:	30pm MST

Section 2. Hazard Identification				
Hazard Classification				
Physical Hazards	Flammable Liquids – Category 2			
Health Hazards	Specific Target Organ Toxicity, (Single Exposure) – Category 3 Eye Damage/Irritation – Category 2A Acute Oral Toxicity – Category 4 Carcinogenicity – Category 2			
Signal Word	Danger			
Hazard Statement	Highly flammable liquid and vapour. May cause respiratory irritation; or may cause drowsiness or dizziness. Harmful if swallowed. Suspected of causing cancer. Causes serious eye irritation.			
Precautionary Prevention Statement	Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical ventilating and lighting equipment. Use non-sparking tools.			



	Take estion to mercent static discharges. Wean protection shows		
	Take action to prevent static discharges. Wear protective gloves,		
	clothing, and eye & face protection. Avoid inhaling dust, fume, gas,		
	mist, vapours, or spray. Only use outdoors, or in a well-ventilated area.		
	Wash hands thoroughly after handling. Do not eat, drink, or smoke		
	when using this product. Obtain special instructions before use. Do		
	not handle until all safety precautions have been read and understood.		
Precautionary Response	IF ON SKIN (or hair): Immediately remove all contaminated clothing.		
Statement	Rinse skin with water or shower if on clothing.		
	IF INHALED: Remove person to fresh air and keep comfortable for		
	breathing. Call a doctor if you feel unwell.		
	IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.		
	If exposed or concerned, seek medical attention.		
	IF IN EYES: Rinse cautiously with water for several minutes. Remove		
	contact lenses, if present and easy to do. Continue rinsing. If eye		
	irritation persists, seek medical attention.		
Precautionary Storage	Store in a well-ventilated place. Keep cool. Keep container tightly		
Statement	closed. Store locked up.		
Precautionary Disposal	Dispose of contents/container in accordance with local regulations.		
Statement			
Other Hazards	None		

Section 3. Composition / Information on Ingredients			
Chemical Name	Common Name or Synonyms	CAS NO. and Other Unique Identifiers	% by weight
Tetrahydrofuran	THF	109-99-9	>99

Section 4. First-Aid Measu	ires		
Eye Contact	Flush eyes with water for 15 minutes. Seek medical attention.		
Skin Contact	Flush area with water. If irritation persists, seek medical attention. Launder clothing before reuse.		
Inhalation	Remove victim to fresh air. If there is difficulty breathing, seek immediate medical attention.		
Ingestion	Remove victim to fresh air. If there is difficulty breathing, seek immediate medical attention.		
Most Important	Symptoms of overexposure may be headache, dizziness, tiredness,		
Symptoms and Effects Both Acute and Delayed	nausea, and vomiting. Causes central nervous system depression.		



Immediate Medical Attention and Special Treatment

Precautions For Fire-

Fighters

Treat symptomatically.

11 catilicit	
Section 5. Fire-Fighting M	easures
Suitable and Unsuitable	Dry chemical, CO ₂ , alcohol foam, or water spray.
Extinguishing Media	Water may be ineffective.
Hazardous	Irritating vapours, carbon monoxide, nitrogen oxides, smoke, and
Combustion Products	partially oxidized hydrocarbon fragments.
Specific Hozanda Anising	Flammable Containers may explode when heated Vanours may form

exposed to fire.

Specific Hazards Arising
From the ProductFlammable. Containers may explode when heated. Vapours may form
explosive mixtures with air. Vapours may travel to source of ignition
and flash back. May form explosive peroxides.Special Protective
Equipment andFire-fighters should wear self-contained breathing apparatus and full
protective clothing. Use water spray to cool containers and structures

Section 6. Accidental Release Measures			
Personal Precautions,	Gloves (nitrile), coveralls (chemical resistant), chemical resistant		
Protective Equipment and	footwear.		
Emergency Procedures	Ensure adequate ventilation. Remove all sources of ignition. Take		
	precautionary measures against static discharges.		
Environmental	Do not allow material to enter, sewers and surface watercourses. Low		
Precautions	lying areas (sumps, basements etc.) may collect flammable vapours.		
Methods and Materials for	Isolate area and restrict access. Remove all sources of ignition. Use non		
Containment and Clean-	sparking tools. Soak up small spills with absorbent material, place in a		
Up	suitable container for disposal. Large spills should be diked, pumped		
	up, and placed in a container for disposal. Wash area with detergent		
	and water to remove residues.		

Section 7. Handling and Storage			
Precautions For Safe	Handle with care. Flammable liquid. Ground all containers when in use.		
Handling	Spark resistant equipment should be employed. Clothing should be Nomex		
	or similar non static forming material.		
Conditions For Safe	Store in a cool dry place away from all sources of ignition. Keep		
Storage	containers closed when not in use. Check drums for inhibitor (Butylated		
	hydroxyl toluene) content, if below 200 ppm add additional inhibitor		
	and mix well. Part drums should be blanketed with nitrogen.		



Section 8. Exposure Controls / Personal Protection				
Control Parameters	TWA: 8 Hr	STEL: 15 min	Ceiling	IDLH *
Tetrahydrofuran	100 ppm	50 ppm		2000 ppm
	ACGIH	ACGIH		
	* Immediately I	Dangerous to Life and	Health	
Exposure Controls	Local exhaust ventilation			
Appropriate Engineering	Use explosion-proof electrical/ventilating/lighting/equipment. Ensure			
Controls	that eyewash stations and safety showers are close to the workstation			
	location. Ensure adequate ventilation, especially in confined areas.			
Individual Protective				
Measures				
Eye / Face Protection	Safety glasses			
Skin Protection	Chemical resistant coveralls, gloves			
Respiratory Protection	Air purifying respirator fitted with organic vapour cartridges if exposure			
	limits are exceed	ed.		

Section 9. Physical and Chemical Properties			
Appearance	Clear, colourless liquid with strong ether odour.		
Odour	Ether like		
Odour Threshold	Not available.		
рН	7		
Flash Point	-17 °C		
Boiling Point and Boiling Range	66 °C		
Melting Point and Freezing Point	-108 °C		
Explosive Limits	LEL: 1.8 % UEL: 11.8 %		
Evaporation Rate	8.0 (ether =1)		
Flammability (solid, gas)	Not applicable		
Upper and Lower Flammability or	2% - 11.8%		
Explosive Limits			
Vapour Pressure	>132 mmHg @ 20 °C		
Vapour Density	2.5 (air = 1)		
Relative Density	0.89 @ 25 °C		
Solubility	Miscible		
Partition co-efficient, n-	No data		
Octanol/Water			
Auto-ignition Temperature	321 °C		
% Volatile	100		
Decomposition Temperature	No data		
Viscosity	0.55 cP @ 20 °C		



Section 10. Stability and Re	eactivity	
Reactivity	Stable	
Chemical Stability	This product is stable with an appropriate level of butylated hydroxyl	
	toluene inhibitor (200 ppm), but reactive (unstable) without.	
Possibility of Hazardous	Will not occur	
Reactions		
Conditions to Avoid	Naked flames, sparks, and sources of ignition. Elevated temperatures.	
Incompatible Materials	Strong oxidizing agents and strong acids.	
Hazardous Decomposition	Irritating vapours NOTE: May form peroxides in the presence of air.	
Products	May react with oxygen to form unstable peroxides. Peroxides are	
	thermally unstable and shock sensitive.	

Section 11. Toxicological Inf	ormation		
Component Toxicity	LD50 Oral	LD50 Dermal	LC50 Inhalation
Tetrahydrofuran	1.6 g/kg (Rat)	6.4 g/kg (Rabbit)	53.9 ppm (Rat) 4h
Likely Routes of Exposure			
Skin:	May cause moderate skin irritation with a burning sensation. Repeated and prolonged contact may cause defatting, leading to dermatitis.		
Eyes:	May cause burn	ing sensation, redness	, swelling and blurred vision.
Inhalation:	May cause burning sensation in the nose and throat, coughing and difficulty breathing. High concentrations may cause central nervous system depression, resulting in headaches, dizziness and nausea. Continued inhalation may result in unconsciousness and/or death.		
Ingestion:	May cause headache, dizziness, nausea, vomiting, gastrointestinal irritation and central nervous system depression. Aspiration hazard – small amounts of product can be aspirated in to the lungs during ingestion and vomiting, this may cause lung injury leading to death. Symptoms may include coughing, gasping, choking, shortness of breath, bluish coloured skin, rapid breathing and heart rate. Pulmonary edema or bleeding, drowsiness, confusion, coma and seizures may occur in more serious cases. Symptoms may be delayed up to 24 hours dependant on quantity of material inhaled.		
Acute Toxicity Estimates	Toxic by ingestion		
(ATE)			
STOT (Specific Target	Respiratory sys	tem Central nervous s	ystem (CNS)
Organ Toxicity) – Single	•		
Exposure			
Aspiration Toxicity	Not classified		



STOT (Specific Target	Heart, liver, kidney, spleen, and blood
Organ Toxicity) – Repeated	
Exposure	
Skin Corrosion / Irritation	Not classified
Serious Eye Damage /	Irritant
Irritation	
Respiratory or Skin	Not classified
Sensitization	
Chronic Toxic Effects	Symptoms of respiratory tract irritation and damage to respiratory
	epithelium were reported in rats exposed to 5000 ppm of
	tetrahydrofuran for 90 days. Elevation SGPT suggests a disturbance
	in liver function.
Carcinogenicity	– Listed under ACGIH – A3.
Reproductive Toxicity	
- Sexual Function and	Not classified
Fertility	
- Development of	Not classified
Offspring	
- Effects on or via	Not classified
Lactation	
Germ Cell Mutagenicity	Not classified
Interactive Effects	None known
Other Information	None known

Section 12. Ecological Information	
Ecotoxicity	LC50: 2700 – 3600 mg/L (Pimephales promelas) 96 hr static LC50: 1970 - 2360 mg/L (Pimephales promelas) 96 hr flow through
Persistence and	Will not persist
Degradability	
Bioacumulative Potential	Not expected to bioaccumulate.
Biodegradability	Readily biodegradable
Mobility in Soil	Not available
Special Remarks	BOD = 100% in 14 days.
Other Adverse Effects	None known

Section 13. Disposal Considerations	
Disposal Considerations	Dispose of contents/container in accordance with local regulations.



Section 14. Transport Information	
UN Number	2056
UN Proper Shipping Name	Tetrahydrofuran
Transport Hazard	3
Class(es)	
Packaging Group	II
Environmental Hazards	Not applicable
Bulk Transport	Not applicable
Special Precaution	Not applicable
DOT Erg#	127

Section 15. Regulatory Information	
Canada – DSL Inventory	All components of this product are either on the Domestic Substances
	List (DSL), Non-Domestic Substances List (NDSL,) or exempt
TSCA	All components of this product are either on the Toxic Substances
	Control Act (TSCA) Inventory List or exempt
Additional Information	None

Section 16. Other	Information
NFPA Rating	Health-2/ Flammability-3/Reactivity-0/Special Hazard-Not applicable
HMIS Rating	Health-2/Flammability-3/Reactivity-0/Personal Protection-See Section 8.
Prepared by:	Chemfax Products Ltd., Technical Department
Date Prepared:	28 September, 2012
Date of Latest Revision: 25 January 2021	
Dicelaimon	

Disclaimer

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Chemfax Products Ltd. expressly disclaims all expressed or implied warranties of merchantability and fitness for a particular purpose with respect to the product provided.